

Johnson & Johnson Vision Care, Inc.
7500 Centurion Parkway
Jacksonville, FL 32256



URGENT
FIELD SAFETY NOTICE

October 31, 2017

Dear Customer:

RE: Voluntary Field Action of ACUVUE® OASYS® for ASTIGMATISM Brand Contact Lenses (Ref: FSCA # QRB-09-2017)

Johnson & Johnson Vision Care Inc., (JJVC) is recalling two product lots of ACUVUE® OASYS® for ASTIGMATISM Brand Contact Lenses. **This Action only affects the lot numbers listed below. No other JJVC lots are affected by this Action.**

Brand name	Product Specification	Lot Number
ACUVUE® OASYS® for ASTIGMATISM	BC 8.6, -6.00D/-1.75D/170	B00GW4Z
ACUVUE® OASYS® for ASTIGMATISM®	BC 8.6, -3.50D/-0.75D/180	B00HRMG

The ACUVUE® OASYS® for ASTIGMATISM® Brand Contact Lens lot numbers are displayed on the individual contact lens package and for product in 6 pack unit of measure also on the barcode area on the back of each individual unit carton.

JJVC has voluntarily initiated this Action to assure that you receive the highest quality products. We received a limited number of confirmed reports of a lens being 'off power' which the consumer may recognize as not accurately correcting the vision in one eye (some distortion or blurriness). Upon investigation, it was determined that inserts within the mold used for manufacturing were damaged when making the front and back curve molds of the contact lens. JJVC has implemented improved inspection techniques for the identification of damaged inserts within the molds. Not all lenses in these lots are affected and there is no significant health risk related to this issue.

The local competent authority has been informed of this Action.

Since you have received potentially affected product, please **take the following actions**:

1. **Review** your inventory and determine if you have **ACUVUE® OASYS® for ASTIGMATISM lenses from the impacted lots.**
2. **STOP** using all **affected** product. You can continue to use all other lots not affected by this voluntary recall.
3. Please pass this notice on to anyone in your organization who needs to be aware of the issue and ensure that they maintain awareness as necessary.
4. **Contact** Customer Service at XXXXXXXX to arrange return and replacement product.
5. **Complete** the enclosed Customer Reply Form and return via fax to XXXXXXXX or via email to XXXXXX@XXX.com, **EVEN IF YOU HAVE NO INVENTORY REMAINING** affected by this recall, JJVC requires this information for reconciliation purposes with regulatory agencies.

As always, any ACUVUE® patient who has a complaint about the product is urged to stop using it and contact Johnson & Johnson Vision Customer Service, the store where the product was purchased, or their eye doctor immediately. If any user experiences persistent irritation, pain or redness, or a change in vision after removing the lens, they should contact their doctor immediately.

Our top priority is patient safety and we hold ourselves to high standards for product quality and customer satisfaction. We remain fully committed to serving our customers with safe and effective products. We recognize the inconvenience this causes you and appreciate your assistance in expediting return of the affected product.

Sincerely,

Roman Lakaschus
Sr. Quality Manager
Johnson & Johnson Vision Care, Inc.
European Vision Center
Hanworth Road
Sunbury-on-Thames
TW16 5LN

JJVC FIELD ACTION
CUSTOMER REPLY FORM

Please complete and return immediately **EVEN IF YOU HAVE NO STOCK** via **Fax: XXXXXXXX or email: XXXXXX@XXX**

Please place an "X" in one of the boxes below.

<input type="checkbox"/>
<input type="checkbox"/>

All affected products have been used or discarded.

We are returning affected product

Quantity being
Returned

Lot Number	Quantity to be Returned

Customer Name:	
Customer Acct #:	
Address:	
City, State, Postal Code:	
Country	
Telephone Number:	

Person completing this form acknowledges the receipt and understanding of the actions, as stated in the Product Recall letter:

Name: (print) _____
Title/Position _____
Signature: _____
Date: _____